

AL 1827

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
July 16 - 31, 1987

CANADIANA
AUG 11 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)
Agriculture
Canada

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
YORKSHIRE									
gra Farms Ltd. kotoks 38-7741	12 month average					97 pigs	(14.2)	(156)	100
	RITR 505U					ARHL 137W	14.0	141	128
	"					" 139W	15.3	145	104
	ARHL 521T	-0.8	-9.3	152		" 150W	13.6	142	130
	"	"	"	"		" 151W	11.6	144	152
	RITR 505U					" 166W	15.7	135	115
	"					" 167W	14.1	138	131
	"					" 168W	14.1	138	131
oomsbury Farms oomsbury 74-3307	12 month average					25 pigs	(15.8)	(159)	100
	WM 805U					WM 605W	20.5	178	32
	WM 1303U					" 1301W	14.4	133	144
	"					" 1305W	17.1	146	102
	"					" 1306W	15.4	146	119
	"					" 1308W	16.4	140	116
	WM 1005U					" 1401W	12.9	144	146
	"					" 1408W	14.0	150	129
raat, J. aldale 27-9757	12 month average					101 pigs	(12.1)	(149)	100
	ARBF 784T					ARBF 114W	10.8	167	77
	"					" 129W	12.9	164	59
	ANZI 3863P	-2.0	+7.8	106		" 132W	10.6	160	94
	ARBF 784T					" 163W	13.8	155	67
	ANZI 3863P	-2.0	+7.8	106		" 172W	13.6	143	95
ynne Vista Farms ynne 2-2998	12 month average					44 pigs	(14.0)	(171)	100
	KKEF 2323T					GWYN 602W	10.1	182	120
	AOGK 741T					" 801W	11.8	170	121
	"					" 802W	10.5	184	113
	"					" 804W	11.6	182	104
	"					" 1004W	12.5	182	97
	"					" 1007W	10.7	186	108
	"					" 1009W	13.1	175	102
	"					" 1601W	12.4	174	110
	"					" 1602W	13.2	172	106
	"					" 1603W	14.2	180	85
	"					" 1701W	9.9	155	162

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)					
Gwynne Vista Farms (cont.)	AOGK 741T				GWYN 1702W	13.4	158	124
	"				" 1705W	12.9	158	129
	"				" 1706W	11.8	179	108
	"				" 2201W	11.6	147	157
	"				" 2202W	12.1	158	137
	"				" 2203W	11.8	156	143
	"				" 2601W	12.6	148	148
	"				" 2602W	11.8	156	143
	"				" 2603W	14.6	151	125
	"				" 2604W	13.3	153	133
	"				" 2605W	17.2	159	90
	"				" 2606W	15.2	157	109
	"				" 2802W	12.0	153	145
Knobben, G. Jarvie 954-2125	12 month average				27 pigs	(12.7)	(155)	100
	ROSE 102U				GARY 34W	9.9	161	128
Knobben, J. Jarvie 954-2647	12 month average				49 pigs	(12.6)	(151)	100
	GARY 42S				AREE 71W	14.4	136	110
	"				" 72W	11.2	150	118
	"				" 73W	12.6	148	107
	AREE 352S				" 80W	11.9	139	131
	"				" 81W	13.0	136	125
	"				" 82W	14.6	146	87
Milne, B. Ponoka 783-6695	12 month average				112 pigs	(13.9)	(148)	100
	ABEM 701T				MILN 060W	12.9	166	74
	MILN 188U				" 75W	11.0	156	125
	"				" 77W	11.7	154	118
	"				" 78W	10.7	154	133
	"				" 80W	8.4	156	162
Papenhuyzen, C. Stony Plain 963-4358	12 month average				23 pigs	(17.2)	(165)	100
	DASA 1052T				ASUS 141W	18.3	169	79
	"				" 143W	17.7	165	93
	"				" 144W	19.2	177	54
	"				" 151W	16.1	164	117
	"				" 152W	17.1	164	102
	"				" 153W	16.8	175	89
	"				" 155W	16.9	173	91

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
Feiter Farms Iron Springs 38-4472	12 month average				116 pigs	(12.8)	(152)	100
	JKAA 562S	0.0	-8.9	135	RITR 176W	12.3	147	113
	RITR 664T	-1.8	-4.5	149	" 197W	11.3	160	100
	"	"	"	"	" 198W	11.7	149	115
	JKAA 562S	0.0	-8.9	135	" 305W	10.4	137	149
	"	"	"	"	" 306W	12.1	139	130
	"	"	"	"	" 307W	10.6	132	156
	KKEF 1053S	-2.6	-1.1	150	" 318W	12.5	150	106
	JKAA 562S	0.0	-8.9	135	" 321W	14.3	143	102
	"	"	"	"	" 322W	13.3	137	122
	RITR 664T	-1.8	-4.5	149	" 339W	14.9	139	103
	KKEF 1053S	-2.6	-1.1	150	" 381W	13.4	128	137
	"	"	"	"	" 383W	12.9	136	128
	"	"	"	"	" 407W	10.7	138	144
	"	"	"	"	" 413W	16.4	130	105
	JKAA 562S	0.0	-8.9	135	" 425W	13.0	132	134
oeske, M. lcomdale 39-4938	12 month average				41 pigs	(15.4)	(149)	100
	OKV 93T (2)				ROSE 42W	13.3	164	94
	ANZI 2482T (2)				" 59W	13.3	157	107
	"				" 61W	12.6	154	120
	ROSE 106U				" 69W	12.2	151	129
	ROSE 135U				" 76W	11.0	163	122
	"				" 78W	11.1	153	137
	"				" 87W	11.2	158	127
urko, D. ewbrook 76-2315	12 month average				(Not Available)			
	GARY 315T				DANY 42W	15.0	159	
	"				" 44W	16.3	170	
	"				" 70W	14.2	161	
	"				" 82W	14.2	126	
	"				" 90W	16.2	136	
<u>LANDRACE</u>								
gra Farms Ltd. kotoks 88-7741	12 month average				106 pigs	(13.8)	(160)	100
	ARHL 311T	-1.0	-6.8	142	ARHL 90W	10.2	165	131
	"	"	"	"	" 91W	12.2	166	108
	"	"	"	"	" 114W	13.5	145	125
	"	"	"	"	" 115W	14.1	144	121
	"	"	"	"	" 116W	15.9	144	102
	ARBU 262U (1)				" 123W	15.4	144	107

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)					
Agra Farms Ltd. (continued)	JBFA 2S (1)	-1.2	-10.0	158	ARHL 173W	11.1	134	170
	"	"	"	"	" 174W	13.0	130	156
	"	"	"	"	" 175W	12.9	122	168
	"	"	"	"	" 183W	13.8	127	151
	"	"	"	"	" 184W	14.1	131	141
Duff, D. Fort Saskatchewan 998-3101	12 month average				62 pigs	(14.4)	(149)	100
	MCMC 8T	-1.2	-3.8	134	DUFF 101W	13.2	146	113
	DUFF 544T	-1.2	-5.8	142	" 130W	14.2	150	100
	"	"	"	"	" 131W	14.6	163	76
Lakeland College Vermilion 853-8597, Ext 597	12 month average				88 pigs	(14.8)	(163)	100
	DASA 871S				ATAT 078W	15.6	182	66
	"				" 87W	15.0	160	102
	JBFA 2S (1)	-1.2	-10.0	158	" 105W	18.0	150	88
	"	"	"	"	" 108W	16.7	148	102
	"	"	"	"	" 113W	14.6	165	99
	"	"	"	"	" 114W	14.8	159	105
	"	"	"	"	" 115W	12.7	159	125
Morinville Colony Morinville 939-2118	12 month average				20 pigs	(12.7)	(147)	100
	MCMC 021T	+0.8	+0.4	86	MCMC 253W	13.8	152	80
Reiter Farms Iron Springs 735-4472	12 month average				(Not Available)			
	TONY 615U				RITR 235W	15.9	152	
	"				" 236W	13.2	155	
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				70 pigs	(16.6)	(144)	100
	BL 505U				BL 1509W	12.0	171	108
	BL 102U				" 1606W	14.5	157	102
	"				" 1703W	14.3	141	129
	"				" 1704W	14.2	135	139
	BL 1108U				" 1806W	15.7	133	126
	"				" 1808W	15.6	146	108
	"				" 1809W	13.6	141	136
	"				" 1810W	14.8	145	117
	"				" 1812W	14.8	139	126
	BL 1007U				" 1904W	16.2	118	143
	"				" 1905W	14.6	129	143

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	EBV INDEX				
Bloomsbury Farms (continued)	BL 1006U "					BL 2008W " 2009W	20.5 16.3	125 123	88 135
Gwynne Vista Farms	12 month average					111 pigs	(13.5)	(163)	100
Gwynne 52-2998	KR 8904S JA 522S " " " " " " KR 8904S " "	-2.3 -0.9 " " " " " -2.3 " "	+2.4 +4.4 " " " " " +2.4 " "	142 104 " " " " " 142 " "	KR 1201W " 1801W " 1802W " 1803W " 1901W " 2101W " 2103W " 2705W " 3002W " 3003W " 3005W	11.1 14.1 11.9 13.6 15.4 15.5 15.9 16.6 14.2 14.6 16.7	169 168 164 177 171 150 165 149 135 143 140	116 85 116 75 67 100 72 91 139 121 103	
HAMPSHIRE									
Bloomsbury Farms	12 month average					35 pigs	(14.1)	(165)	100
Bloomsbury 74-3307	WM 905U WM 510U " " " "					WM 906W " 1004W " 1005W " 1105W " 1106W " 1107W	13.8 12.1 12.4 10.9 15.7 12.7	159 165 167 155 159 157	108 121 116 142 89 121
Brinville Colony	12 month average					(Not Available)			
Brinville 9-2118	ASUS 30T " " "	+0.2 " " "	-10.9 " " "	127 " " "	MCMC 40W " 41W " 42W " 43W	10.6 11.7 10.0 10.2	144 143 149 148		
penhuyzen, C. ony Plain 3-4358	12 month average DASA 870T " " " "					31 pigs	(14.1)	(171)	100
						ASUS 90W " 91W " 131W " 134W " 167W	16.1 9.6 15.2 17.1 12.6	177 181 170 162 161	71 134 90 81 129
iter Farms on Springs 3-4472	12 month average AHKP 580T " "					(Not Available)			
						RITR 145W " 226W " 227W	11.3 12.6 15.0	152 169 165	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS		INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	TO 90 KG	
<u>DUROC</u>									
Lakeland College Vermilion 853-8597, Ext 597	12 month average ASOV 932T (1) " " "				(Not Available) ATAT 096W " 097W " 100W " 102W	12.2 12.6 14.4 12.5	149 171 150 161		
Reiter Farms Iron Springs 738-4472	12 month average HILL 161T "				37 pigs RITR 186W " 189W	(13.5) 14.3 11.8	(148) 160 157		100
<u>CROSSBRED</u>									
Groot, C. Neerlandia 674-4077	12 month average 3991 3083 " 3991				105 pigs 5664W 5680W 5684W 5690W	(14.1) 10.5 15.2 11.1 13.5	(167) 173 157 141 160		100 129 101 163 115
Knobben, J. Jarvie 954-2647	12 month average DLF 33U " "				(Not Available) 056W 058W 059W	13.2 14.0 12.8	136 141 131		
Morinville Colony Morinville 939-2118	12 month average KKEF 2284T " " " 267U AREE 0193T				50 pigs 30W 32W 34W 40W 52W 55W 97W	(13.8) 9.5 15.0 11.7 14.1 10.7 11.7 13.0	(167) 136 146 152 147 144 162 141		100 177 114 138 121 157 125 139
Neufeld Farms Acme 546-3969	12 month average AJCM 1481S (1) NEUF 180T " " JKAA 561S (1)	-0.7 -1.3	+1.7 -9.7	116 160	84 pigs 35W 38W 40W 41W 463W	(14.4) 10.8 14.6 15.2 14.0 10.5	(157) 166 158 165 154 162		100 131 96 79 110 140

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
eufeld Farms continued)	JKAA 561S (1)	-1.3	-9.7	160	464W	12.9	161	112
	NEUF 180T				52W	15.0	153	99
	"				54W	15.9	148	94
	"				532W	14.4	156	101
	"				59W	15.0	136	122
anchview Test Barn 12 month average					859 pigs	(13.4)	(154)	100
entley 48-3802	RFAA 111S				336W	12.5	153	113
	RFAA 3271T				202W	12.6	178	62
	RFAA 110S				283W	11.7	166	96
	RFAA 2162T				292W	14.3	161	77
	RFAA 671P				345W	13.1	154	104
	RFAA 110S				351W	13.2	163	85
	"				362W	11.5	157	117
	"				363W	13.8	169	66
	RFAA 1791T				373W	14.3	166	66
	RFAA 3523T				401W	12.3	160	102
	"				403W	12.2	156	110
	"				404W	13.6	153	101
	"				4011W	13.4	154	100
	"				4012W	13.1	147	117
	"				4013W	13.3	145	118
	RFAA 671P				423W	13.9	162	78
	RFAA 2165T				431W	14.7	145	104
	"				432W	14.3	161	76
	"				433W	13.9	152	98
	RFAA 3271T				441W	16.8	146	77
	RFAA 3522T				451W	13.4	162	84
	"				453W	12.6	153	111
	RFAA 1791T				461W	13.5	152	102
	RFAA 111S				484W	16.8	152	65
	RFAA 110S				494W	12.1	150	123
	RFAA 3522T				521W	14.0	148	104
	RFAA 111S				536W	13.9	157	89
	RFAA 671P				554W	17.1	163	41
	"				564W	14.5	156	84
	"				603W	14.0	149	103
	RFAA 1791T				462W	13.4	158	92
	RFAA 111S				471W	13.1	163	86
	"				477W	12.5	169	81
	"				4714W	13.6	179	49
	RFAA 110S				491W	13.3	162	86
	"				5110W	12.8	161	94
	RFAA 3522T				524W	13.3	146	118
	"				525W	12.8	148	119
	RFAA 639U				634W	12.5	154	111

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Ranchview Test Barn (continued)	RFAA 639U				635W	14.6	142	110
	RFAA 3271T				641W	12.0	145	134
	"				642W	13.1	151	110
	"				643W	14.0	146	110
	"				645W	12.5	154	111
	"				647W	12.9	150	113
	"				654W	12.3	156	110
	"				657W	12.4	153	114
	RFAA 671P				605W	12.2	165	91
	RFAA 639U				661W	12.7	143	131
	"				6610W	14.8	155	82
	RFAA 3523T				673W	13.7	148	109
	"				674W	13.1	153	105
	RFAA 639U				685W	12.5	152	115
	"				686W	11.5	152	126
	RFAA 110S				692W	13.4	141	126
	"				694W	14.7	143	106
	"				711W	12.4	149	122
	"				713W	13.2	141	129
	RFAA 2165T				731W	12.1	146	130
	"				732W	11.6	146	136
	"				736W	11.1	146	142
	RFAA 1791T				741W	13.7	138	129
	"				742W	12.6	144	129
	"				743W	15.1	138	111
	"				744W	13.4	136	135
	"				745W	11.6	141	146
	"				746W	12.0	138	147
	"				747W	12.1	144	134
	RFAA 2165T				775W	14.7	143	107
Ranchview Farms "B" 12 month average					141 pigs	(14.0)	(160)	100
Bentley 748-3802	RFAA 5999T				578W	14.0	152	116
	"				5710W	15.7	152	97
	RFAA 97T				593W	14.6	150	114
	RFAA 5496S				867W	11.0	148	157
	RFAA 867U				884W	12.2	147	144
	"				886W	13.4	138	149
	"				887W	12.7	147	139
	"				888W	14.8	151	109
	"				889W	17.6	138	104
	RFAA 2259T				1039W	15.0	153	103
	"				10312W	14.4	153	109

G I L T S

12 MONTH AVERAGE		PROBE PERIOD						
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	AGE (DAYS)	AGE DATE PROBED	# B.F.	AVG. AGE	AVG.	
YORKSHIRE								
Agra Farms Ltd. Okotoks 938-7741	108	14.7	159	July 16 - 31	14	14.9	146	
Bloomsbury Farms Bloomsbury 574-3307	34	16.9	164	" 10	16.7	149		
J. Braat Coaldale 327-9757	186	12.2	158	" 14	12.6	169		
Gwynne Vista Farms Gwynne 552-2998	101	14.2	174	" 12	14.5	168		
Grobbs, G. Arvie 54-2125	43	13.8	165	" 1	11.8	169		
Grobbs, J. Arvie 54-2647	45	13.3	159	" 5	13.6	148		
Gilne, B. Donoka 83-6695	151	15.1	158	" 14	12.9	162		
Groenhuysen, C. Tony Plain 63-4358	24	19.5	163	" 3	19.3	166		
Gleiter Farms Iron Springs 38-4472	175	14.6	160	" 19	13.8	150		
Goeske, M. Lcomdale 39-4938	178	16.4	159	" 21	14.4	161		
Gurko, D. Newbrook	40	15.5	159	" 13	16.1	155		

12 MONTH AVERAGE		PROBE PERIOD						
BREEDER ADDRESS & TELEPHONE	# PROBED	BACKFAT (MM)	(DAYS)	AGE DATE	PROBED	# B.F.	AVG. AGE	AVG.
<u>LANDRACE</u>								
Agra Farms Ltd. Okotoks 938-7741	150	13.8	165	"	11	13.1	148	
Lakeland College Vermilion 853-8597,Ext 597	122	15.8	165	"	13	15.2	165	
Milne, B. Ponoka 783-6695	62	14.5	150	July 16 - 31		14	12.0	157
Morinville Colony Morinville 939-2118	37	14.5	152	"	8	12.9	141	
Reiter Farms Iron Springs 738-4472	(Not Available)			"	4 16.2	155		
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	74	17.0	151	"	10	15.1	144	
Gwynne Vista Farms Gwynne 352-2998	154	14.8	171	"	10	16.3	174	
<u>HAMPSHIRE</u>								
Bloomsbury Farms Bloomsbury 674-3307	48	14.2	179	"	5	13.7	158	
Braat, J. Coaldale 327-9757	26	14.5	148	"	3	16.2	158	
Milne, B. Ponoka 783-6695	(Not Available)			"	3 13.8	155		

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE		PROBE PERIOD				# B.F.	AVG. AGE	AVG.
	# PROBED	BACKFAT (MM)	(DAYS)	AGE DATE	PROBED				
Morinville Colony Morinville 939-2118	(Not Available)			" 6	12.2		154		
Papenhuyzen, C. Stony Plain 963-4358	37	14.4	175	" 5			16.1	168	
Reiter Farms Iron Springs 738-4472	(Not Available)			" 8	13.8		161		
<u>DUROC</u>									
Lakeland College Vermilion 853-8597, Ext 597	(Not Available)			July 16 - 31 2	14.8		151		
Reiter Farms Iron Springs 38-4472	(Not Available)			" 4	15.1		158		
<u>CROSSBRED</u>									
Loomsbury Farms Loomsbury 74-3307	23	15.8	135	" 2			17.0	145	
raat, J. oaldale 27-9757	54	14.1	151	" 2			13.4	142	
erewianka, C. askatenau 58-2498	166	17.0	183	" 33			16.9	171	
root, C. eerlandia 74-4077	103	14.4	168	" 26			13.1	169	
wynne Vista Farms wynne 52-2998	113	15.1	168	" 18			15.5	166	
ilne, B. onoka 83-6695	256	14.9	152	" 9			13.4	150	

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE		PROBE PERIOD				# B.F.	AVG. AGE	A
	# PROBED	BACKFAT (MM)	(DAYS)	AGE DATE	PROBED				
Morinville Colony Morinville 939-2118	195	14.9	172	"	45		14.4	162	
Neufeld Farms Ltd. Acme 546-3969	33	15.4	161	"	4		12.9	165	
Olds College Olds 556-8393	459	15.7	161	"	56		15.4	159	
Ranchview Test Barn Bentley 748-3802	97	15.0	166	July 16 - 31			35	14.1	1
Ranchview Farms "B" Bentley 748-3802	813	15.5	168	"	14		13.4	162	
Reiter Farms Iron Springs 738-4472	35	15.8	156	"	2		14.1	141	
Weber Farms Ltd. Castor 882-2572	36	15.1	159	"	20		14.4	169	
West, N. & T.J. Radway 736-3790	160	16.3	160	"	11		15.3	147	
Wierenga, C. Neerlandia 674-5904	76	15.3	174	"	22		16.1	177	
Woelk Farms, Unit 1 Millet 387-4801	108	17.2	174	"	14		13.6	178	
Woelk Farms, Unit 2 Millet 387-4801	123	16.3	173	"	14		14.3	178	